

Tajikistan (MICS 2005)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index	
National	61.5	37.9	77.1	NO	83.4	NO	60.9	NO	NO	87.8	83.2	82.2	46.6	22.1	63.9	1.3	69.5	11.9	67.2	
Wealth quintiles																				
Q1	54.7	31.8	61.7	NO	70.0	NO	57.2	NO	NO	82.1	81.0	79.6	34.0	20.4	62.7	2.7	47.9	9.1	60.7	
Q2	58.5	37.0	73.0	NO	81.1	NO	58.3	NO	NO	82.6	82.6	73.6	46.1	18.6	65.3	0.8	61.4	12.2	64.5	
Q3	61.0	37.4	81.1	NO	86.5	NO	65.0	NO	NO	90.0	80.3	87.8	54.2	13.4	51.2	0.3	65.1	11.4	65.4	
Q4	64.0	39.1	82.7	NO	89.9	NO	61.2	NO	NO	94.0	88.4	89.2	55.9	34.8	45.1	1.4	77.9	12.9	70.1	
Q5	68.0	43.7	89.8	NO	91.4	NO	63.4	NO	NO	92.2	84.0	82.3	45.0	25.9	81.8	1.2	95.3	14.1	74.5	
Equity indicators																				
Q5/Q1 ratio	1.2	1.4	1.5	NO	1.3	NO	1.1	NO	NO	1.1	1.0	1.0	1.3	1.3	1.3	0.4	2.0	1.6	1.2	
Q5-Q1 difference	13.3	11.8	28.2	NO	21.5	NO	6.2	NO	NO	10.1	2.9	2.8	10.9	5.4	19.0	-1.5	47.4	5.0	13.8	
Concentration index	4.7	5.9	7.3	NO	5.5	NO	2.2	NO	NO	3.1	1.2	2.4	6.1	9.3	4.1	-15.6	13.4	8.9	4.0	
SII	16.0	12.9	33.4	NO	26.9	NO	7.8	NO	NO	16.5	5.9	10.4	16.9	11.5	12.8	-1.4	53.6	5.7	16.6	
Maternal education																				
none	39.7	13.9	55.3	NO	63.6	NO	42.9	NO	NO	35.4	24.6	45.4	39.3	ND	ND	NO	NA	4.9	NA	
primary	56.5	24.7	52.3	NO	66.0	NO	60.0	NO	NO	88.9	79.6	79.3	35.0	1.0	54.9	1.6	NA	5.6	56.4	
secondary +	61.8	38.4	77.9	NO	83.9	NO	61.2	NO	NO	88.3	83.9	82.5	46.9	22.8	64.3	1.3	NA	12.1	67.7	
Child's sex																				
male	NA	NA	ND	NO	ND	NO	ND	NO	NO	85.7	85.7	84.2	45.9	22.9	60.3	1.6	NA	12.9	NA	
female	NA	NA	ND	NO	ND	NO	ND	NO	NO	90.1	80.3	80.0	47.4	21.1	68.5	1.0	NA	10.8	NA	
Area of residence																				
urban	67.1	42.4	85.4	NO	89.4	NO	59.4	NO	NO	91.6	87.0	82.0	46.9	28.2	57.8	0.1	93.1	14.4	71.1	
rural	59.3	36.3	74.4	NO	81.3	NO	61.4	NO	NO	86.4	81.8	82.3	46.5	19.8	66.8	1.8	60.7	10.9	65.9	
Country region																				
dud	47.8	28.9	74.3	NO	82.1	NO	64.6	NO	NO	84.6	69.4	79.9	50.6	23.9	83.0	0.1	73.6	11.4	63.8	
dushanbe	64.0	37.7	87.8	NO	87.4	NO	61.5	NO	NO	98.8	86.4	87.7	43.6	37.9	90.6	ND	95.7	17.2	76.4	
gbao	62.7	39.2	78.3	NO	77.2	NO	76.5	NO	NO	84.0	80.4	77.7	55.9	24.9	74.4	ND	51.4	8.6	67.7	
khatlon	58.2	35.1	65.8	NO	75.2	NO	46.6	NO	NO	84.5	83.7	79.2	44.6	18.6	52.7	3.2	54.7	7.8	61.8	
sogd	72.0	46.3	91.7	NO	94.7	NO	76.5	NO	NO	91.5	91.2	85.7	46.5	21.8	77.8	ND	78.1	16.7	76.2	




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.